

**Epi Profile**  
**HIV/AIDS cases and rates (per 100,000 population) in CHR, by sex and race/ethnicity, 2004**

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	21	51	a	7	33	a	28	45	a
Black, not Hispanic	20	49	a	10	48	a	30	48	a
Hispanic	0	0	a	*	14	a	*	5	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	*	5	a	*	2	a
Total	41	100	a	21	100	a	62	100	a

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in CHR, by sex and age at diagnosis, 2004**

Age (yrs)	Males		Females		Total	
	No.	%	No.	%	No.	%
<13	0	0	0	0	0	0
13-14	0	0	0	0	0	0
15-24	6	15	6	29	12	19
25-34	15	37	*	14	18	29
35-44	13	32	6	29	19	31
45-54	*	12	*	10	7	11
55-64	*	5	*	14	*	8
>=65	0	0	*	5	*	2
Total	41	100	21	100	62	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age or sex.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in CHR, by sex and exposure category, 2004**

Exposure category	Males		Females		Total	
	No.	%	No.	%	No.	%
Male-to-male sex	24	59	a	a	24	39
Injection drug use (IDU)	*	10	*	10	*	10
Male-to-male sex and IDU	*	10	a	a	*	6
Heterosexual contact	*	5	*	19	*	10
Mother with/at risk for HIV	0	0	0	0	0	0
Other/unknown	7	17	15	71	22	35
Total	41	100	21	100	62	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in CHR, by race/ethnicity and exposure category, 2004**

Exposure category	White, not Hispanic		Black, not Hispanic		Hispanic		Asian/ Pacific Islander		American Indian/ Alaska Native		Unknown/ Multiple Race		Total	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sex	15	54	9	30	0	0	0	0	0	0	0	0	24	39
Injection drug use (IDU)	*	7	*	13	0	0	0	0	0	0	0	0	6	10
Male-to-male sex and IDU	*	11	*	3	0	0	0	0	0	0	0	0	*	6
Heterosexual contact	*	11	*	7	0	0	0	0	0	0	*	100	6	10
Mother with/at risk for HIV	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Other/unknown	5	18	14	47	*	100	0	0	0	0	0	0	22	35
Total	28	100	30	100	*	100	0	0	0	0	*	100	62	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

Percentages may not total to 100 due to rounding.

**Epi Profile**  
**HIV/AIDS cases among persons in CHR, by sex and tuberculosis comorbidity, 2004**

<b>Tuberculosis diagnosis</b>	<b>Males</b>		<b>Females</b>		<b>Total</b>	
	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>	<b>No.</b>	<b>%</b>
Not diagnosed	41	100	21	100	62	100
Definitive case	0	0	0	0	0	0
Presumptive case	0	0	0	0	0	0
Total	41	100	21	100	62	100

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

## Epi Profile

Numbers and rates (per 100,000 population) of deaths among persons with HIV/AIDS in CHR, by sex and race/ethnicity, 2004

Race/ethnicity	Males			Females			Total		
	No.	%	Rate	No.	%	Rate	No.	%	Rate
White, not Hispanic	5	33	a	0	0	a	5	31	a
Black, not Hispanic	10	67	a	*	100	a	11	69	a
Hispanic	0	0	a	0	0	a	0	0	a
Asian/Pacific Islander	0	0	a	0	0	a	0	0	a
American Indian/Alaska Native	0	0	a	0	0	a	0	0	a
Unknown/Multiple Race	0	0	a	0	0	a	0	0	a
Total	15	100	a	*	100	a	16	100	a

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

Percentages may not total to 100 due to rounding.

a Not applicable.

**Epi Profile**  
**HIV/AIDS cases among persons in CHR, by year of diagnosis and sex**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	43	41	42	43	41	932
Females	21	8	13	21	21	262
Total	64	49	55	64	62	1,194

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**HIV/AIDS cases among persons in CHR, by year of diagnosis and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	23	25	29	33	28	624
Black, not Hispanic	40	22	25	25	30	534
Hispanic	*	*	*	*	*	26
Asian/Pacific Islander	0	0	0	*	0	7
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	*	3
Total	64	49	55	64	62	1,194

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.



**Epi Profile**  
**HIV/AIDS cases among persons in CHR, by year of diagnosis and age at diagnosis**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	6
13-14	0	0	0	0	0	0
15-24	9	7	6	10	12	159
25-34	20	12	17	20	18	474
35-44	24	19	18	15	19	351
45-54	8	8	11	15	7	146
55-64	*	*	*	*	5	48
>=65	*	0	0	0	*	10
Total	64	49	55	64	62	1,194

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown age.

**Epi Profile**  
**HIV/AIDS cases among persons in CHR, by year of diagnosis and exposure category**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Exposure category	No.	No.	No.	No.	No.	No.
Male-to-male sex	29	29	34	29	24	657
Injection drug use (IDU)	10	5	*	6	6	168
Male-to-male sex and IDU	*	*	*	*	*	50
Heterosexual contact	15	12	15	11	6	222
Mother with/at risk for HIV	0	0	0	0	0	4
Other/unknown	9	*	*	16	22	93
Total	64	49	55	64	62	1,194

Note. These are actual numbers of cases of HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of cases of HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infections and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**AIDS cases among persons in CHR, by year of diagnosis and sex**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	36	37	34	27	26	628
Females	6	8	9	17	9	133
Total	42	45	43	44	35	761

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown sex.

**Epi Profile**  
**AIDS cases among persons in CHR, by year of diagnosis and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Race/ethnicity	No.	No.	No.	No.	No.	No.
White, not Hispanic	13	18	26	16	20	407
Black, not Hispanic	27	25	16	26	13	336
Hispanic	*	*	*	*	*	13
Asian/Pacific Islander	*	0	0	0	0	3
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	*	*	2
Total	42	45	43	44	35	761

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.

**Epi Profile**  
**AIDS cases among persons in CHR, by year of diagnosis and age at diagnosis**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	3
13-14	0	0	0	0	0	0
15-24	*	*	*	*	*	42
25-34	16	9	13	13	12	298
35-44	13	16	16	13	14	250
45-54	10	13	8	9	*	122
55-64	0	6	*	5	*	39
>=65	*	0	0	0	0	7
Total	42	45	43	44	35	761

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 Total includes 0 persons of unknown age.

**Epi Profile**  
**AIDS cases among persons in CHR, by year of diagnosis and exposure category**

	2000	2001	2002	2003	2004	Cumulative cases through 2004
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	23	24	26	19	21	457
Injection drug use (IDU)	8	11	7	8	*	114
Male-to-male sex and IDU	*	0	*	0	*	34
Heterosexual contact	8	8	7	11	5	123
Mother with/at risk for HIV	0	0	0	0	0	3
Other/unknown	*	*	0	6	6	30
Total	42	45	43	44	35	761

Note. These are actual numbers of AIDS cases that have been reported. No adjustment has been made for reporting delays.  
 "Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in CHR, by year and sex**

	2000	2001	2002	2003	2004
<b>Sex</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Males	488	516	537	563	589
Females	151	156	162	178	198
Total	639	672	699	741	787

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown sex.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in CHR, by year and race/ethnicity**

	2000	2001	2002	2003	2004
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	322	338	359	384	407
Black, not Hispanic	298	313	318	329	348
Hispanic	14	16	17	21	24
Asian/Pacific Islander	*	*	*	5	5
American Indian/Alaska Native	0	0	0	0	0
Unknown/Multiple Race	*	*	*	*	*
Total	639	672	699	741	787

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.



**Epi Profile**  
**Numbers of persons living with HIV/AIDS in CHR, by year and current age**

	2000	2001	2002	2003	2004
Current age (yrs)	No.	No.	No.	No.	No.
<13	0	0	0	0	0
13-14	*	*	*	*	*
15-24	*	5	7	14	25
25-34	114	124	135	154	170
35-44	282	295	304	306	318
45-54	172	180	183	195	198
55-64	53	54	55	58	61
>=65	13	13	14	13	14
Total	639	672	699	741	787

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS. There were 0 persons with unknown age.

**Epi Profile**  
**Numbers of persons living with HIV/AIDS in CHR, by year and exposure category**

	2000	2001	2002	2003	2004
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	333	355	374	396	410
Injection drug use (IDU)	100	102	102	101	104
Male-to-male sex and IDU	24	24	23	24	28
Heterosexual contact	138	147	154	158	162
Mother with/at risk for HIV	*	*	*	*	*
Other/unknown	42	42	44	60	81
Total	639	672	699	741	787

Note. These are actual numbers of persons living with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons living with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in CHR, by year of death and sex**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Sex	No.	No.	No.	No.	No.	No.
Males	23	13	21	17	15	343
Females	*	*	7	5	*	64
Total	25	16	28	22	16	407

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons of unknown sex.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in CHR, by year of death and race/ethnicity**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
<b>Race/ethnicity</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
White, not Hispanic	12	9	8	8	5	217
Black, not Hispanic	11	7	20	14	11	186
Hispanic	*	0	0	0	0	2
Asian/Pacific Islander	*	0	0	0	0	2
American Indian/Alaska Native	0	0	0	0	0	0
Unknown/Multiple Race	0	0	0	0	0	0
Total	25	16	28	22	16	407

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in CHR, by year of death and age at death**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
Age (yrs)	No.	No.	No.	No.	No.	No.
<13	0	0	0	0	0	2
13-14	0	0	0	0	0	0
15-24	0	0	0	0	0	9
25-34	8	*	5	*	*	135
35-44	9	*	11	13	6	145
45-54	*	6	10	*	5	76
55-64	*	*	*	*	*	30
>=65	*	*	0	*	0	10
Total	25	16	28	22	16	407

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

Total includes 0 persons with unknown age.

**Epi Profile**  
**Numbers of deaths among persons with HIV/AIDS in CHR, by year of death and exposure category**

	2000	2001	2002	2003	2004	Cumulative deaths through 2004
<b>Exposure category</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>	<b>No.</b>
Male-to-male sex	16	7	15	7	10	247
Injection drug use (IDU)	*	*	*	7	*	64
Male-to-male sex and IDU	*	*	*	*	0	22
Heterosexual contact	*	*	8	7	*	60
Mother with/at risk for HIV	0	0	0	0	0	2
Other/unknown	0	*	0	0	*	12
Total	25	16	28	22	16	407

Note. These are actual numbers of deaths among persons with HIV/AIDS that have been reported. No adjustment has been made for reporting delays. Numbers of persons who died with HIV/AIDS include persons with a diagnosis of HIV infection (not AIDS), a diagnosis of HIV infection and a later AIDS diagnosis, and concurrent diagnoses of HIV infection and AIDS.

"Other/unknown" risk category includes hemophilia, blood transfusion, perinatal, and risk not reported or not identified.